

Application No. 09/902,048  
Attorney Docket No. 8163  
Response dated March 15, 2005  
Reply to Office Action of December 18, 2002

### AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims

1. (Currently amended) A method for removing transfer resistant make-up compositions comprising the step of applying a safe and effective amount of a make-up removing composition comprising:
  - (i) from about 0.1 to about 30% of a non-spherical crosslinked siloxane elastomer said elastomer having a particle size of from above 10 to about 200 microns;
  - (ii) from about 10 to about 80% of a solvent suitable for topical application to the skin having a solubility parameter of less than or equal to about 9 (cal/cm<sup>3</sup>)<sup>1/2</sup>; and
  - (iii) optionally, from about 0% to about 90% water, and;
  - (iv) an emulsifierwherein the composition has a viscosity greater than about 20,000 cps.
2. (Original) The method of Claim 1 wherein the transfer resistant make-up is silicone gum or resin based.
3. (Original) The method of Claim 2 wherein the make-up removing composition further comprises a skin conditioning agent.
4. (Original) The method of Claim 1 wherein the skin conditioning agent is selected from the group consisting of humectants, exfoliants, emollients and mixtures thereof.
5. (Original) The method of Claim 4 wherein the skin conditioning agent is a humectant.
6. (Original) The method of Claim 5 wherein the humectant is selected from the group consisting of propylene glycol, dipropylene glycol, polypropylene glycol,

Application No. 09/902,048  
Attorney Docket No. 8163  
Response dated March 15, 2005  
Reply to Office Action of December 18, 2002

polyethylene glycol, sorbitol, hydroxypropyl sorbitol, hexylene glycol, glycerin, 1,3-butylene glycol, 1,2,6-hexanetriol, ethoxylated glycerin, propoxylated glycerin and mixtures thereof.

7. (Canceled)
8. (Currently Amended) The method of Claim 7 1 wherein the emulsifier is polyoxyalkylene copolymer.
9. (Original) The method of Claim 8 wherein the polyoxyalkylene copolymer is dimethicone copolyol.
10. (Previously presented) The method of Claim 1 wherein the crosslinked siloxane elastomer is a mixture of non-emulsifying and emulsifying crosslinked siloxane elastomers.
11. (Previously presented) The method of Claim 1 wherein makeup removing compositions further comprises an active selected from the group consisting of peptides, palmitoyl-oligopeptide, farnesol, bisabolol, phytantriol, glycerol, urea, guanidine, ascorbic acid, vitamin A, vitamin E, vitamin B<sub>3</sub>, vitamin B<sub>5</sub>, sunscreens, anti-acne medicaments; antioxidants, flavonoids, skin soothing and healing agents, chelators, sequestrants, opacifiers and mixtures thereof.
12. (Currently amended) A cosmetic removing wipe, comprising:
  - A. one or more layers of water-insoluble substrate; and
  - B. a safe and effective amount of a make-up removing composition comprising;
    - (i) from about 0.1 to about 30% of a non-spherical crosslinked siloxane elastomer said elastomer having a particle size of from above 10 to about 200 microns;

Application No. 09/902,048  
Attorney Docket No. 8163  
Response dated March 15, 2005  
Reply to Office Action of December 18, 2002

- (ii) from about 10 to about 80% of a solvent suitable for topical application to the skin having a solubility parameter of less than or equal to about 9 (cal./cm<sup>3</sup>)<sup>1/2</sup>; ~~and~~
  - (iii) optionally, from about 0% to about 90% water and;
  - (iv) an emulsifier
- wherein the composition has a viscosity greater than about 20,000 cps.